

























## ACCEPTED FILE FORMATS


Adobe Illustrator (Ai) | Adobe PDF (PDF) | Corel Draw (CDR) | Encapsulated PostScript (EPS)

NOTE: All submitted art files must be created in full vector format and all live fonts must be outlined (made into objects).

## DESIGN IN 4 COLORS

	Stainless Steel Surface		10% Etched Area		Cut-Through Area (White)		Your Color (If applicable)
	Black Metal Surface		Laser Etched Area		Cut-Through Area (White)		Your Color (If applicable)
	Brass Finish Surface		10% Etched Area		Cut-Through Area (White)		Your Color (If applicable)
	Rose Gold Finish Surface		10% Etched Area		Cut-Through Area (White)		Your Color (If applicable)
	Copper Finish Surface		10% Etched Area		Cut-Through Area (White)		Your Color (If applicable)
	White Card Surface		Cut-Through Area		Your Color (If applicable)		White on White (If applicable)

NOTE: If you are using a white spot color and cutouts, please make all cutout areas **magenta** and note the process with our team.



### CARD SHAPE

- Cards can be either 3.5X2" (standard) or 3.37X2.12" (CR80 - Credit Card).
- Custom shapes acceptable within product dimensions.
- Please keep corner radius .1" or greater.  
(Right angles not accepted due to safety concerns).



### 10% SURFACE ETCHING

- Chemicals will be used to etch 10% into the surface of your card.  
Only etched areas inside the grinding area will be etched down 50%.
- Any 10% etched areas must be .05" or more from the card edge.
- Any 10% etched areas must be .02" from any cut-through areas.  
Only etched areas inside the grinding area can touch the cut out holes.
- Convert all fonts, strokes and outlines into vector objects.
- Please remove all clipping masks and hidden objects.



## CUT THROUGH

- Chemicals will be used to etch through your card where specified.
- Cut-through areas must be minim .02" in diameter.
- Add tie-bars (minimum .02") to any 'floating' material.  
(Frequently seen in letters).
- Convert all fonts, strokes and outlines into vector objects.
- Please remove all clipping masks and hidden objects.




## COLOR

- Design with actual colors - Pantone preferred, though we will accept CMYK.
- Please label color values within your artwork.
- Color fill into 10% etched areas must be minimum .008" thick.
- Color fill into 10% etched areas cannot meet – they must have a .02" min. gap.
- Colors screen printed onto surface can touch/overlap.
- Please remove all gradients, drop shadows and transparencies.




## DESIGN RESOURCES

### FRONT





### BACK



### STAINLESS STEEL

ETCHED AREAS ON FRONT ARE ETCHED DOWN 50%




### BLACK METAL


ETCHED AREAS ON FRONT ARE ETCHED DOWN 50% PRIOR TO COATING CARD BLACK

### PLEASE NOTE


ONLY THE **FRONT SIDE** OF GRINDER CARDS ARE ETCHED DOWN 50%.  
THE BACK SIDE CANNOT BE ETCHED DOWN BECAUSE IT WILL ETCH THROUGH THE CARD,  
SINCE BOTH SIDES ARE ETCHED DOWN 50%.




BRASS




ROSE GOLD



COPPER



WHITE METAL



## SUBMITTING ARTWORK

All finished? Simply visit our website at [www.mymetalbusinesscard.com](http://www.mymetalbusinesscard.com) to place your order and submit your artwork.  
Have a question? Call us at 714.213.8155 or email us at [artwork@mymetalbusinesscard.com](mailto:artwork@mymetalbusinesscard.com)